



South Carolina Department of Health  
and Environmental Control

# PUBLIC NOTICE

Notice #12272-1 Permit #12272  
November 28, 2012

---

This notice is to inform the public that the South Carolina Department of Health and Environmental Control (Agency) is taking public comments on a Corrective Action Plan (CAP). This CAP addresses the cleanup of soil and groundwater contamination at the facility listed below. The contamination was caused by petroleum products that were released from the underground storage tank system at this facility. Based on current data, the release does not pose a threat to human health or the environment.

**FACILITY:** Pantry #3292 DBA Depot, 1804 East Main Street (U.S. Highway 29), Spartanburg, SC 29307

**APPLICANT:** BP Products of North America, 4850 East 49th Street, MBC-3, Room 155C, Cuyahoga Heights, OH, 44125

**SUMMARY OF CAP:** Petroleum and petroleum byproducts naturally break down over time through chemical, physical, and biological processes. These processes are called natural attenuation. Periodic groundwater monitoring has been conducted to ensure that the contamination has decreased and remains below levels of concern.

**PUBLIC COMMENT PERIOD DEADLINE:** The **deadline** for submitting written comments is **5 PM December 19, 2012**. Any interested person(s) may submit written comments concerning the cleanup to the Agency Project Manager listed below. Please bring this notice to the attention of persons whom you know will be interested in this matter. Where there is a significant degree of public interest, the Agency will hold a public hearing.

Michael Rivers, Hydrogeologist  
SCDHEC- Underground Storage Tank Management Division  
2600 Bull Street  
Columbia SC 29201  
803-896-4078

**CONTACT INFORMATION:** For additional information, please call Michael Rivers, the SCDHEC Project Manager, at (803) 896-4078. To view a copy of the CAP, contact the SCDHEC Freedom of Information Office at 803-898-3880.

Section 280.67 of the S.C. Underground Storage Tank Control Regulations (R.61-92) requires that any CAP prepared to meet the requirements of 280.66 be placed on notice for public comment.